

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/520,499	07/18/2005	Richard Anthony Brooks	1-25801	2599
4859 7590 07/19/2007 MACMILLAN SOBANSKI & TODD, LLC ONE MARITIME PLAZA FIFTH FLOOR			EXAMINER	
			UNDERWOOD, DONALD W	
720 WATER S	STREET		ART UNIT	PAPER NUMBER
TOLEDO, OH	1 43004-1019		3652	
			MAIL DATE	DELIVERY MODE
			07/19/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	T - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1					
	Application No.	Applicant(s)				
	10/520,499	BROOKS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Donald Underwood	3652				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on						
,	· action is non-final.					
· <u> </u>	•					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1,4-9,12,13,16-21,23 and 25</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,4-9,12,13,16-21,23 and 25</u> is/are rejected.						
7) ☐ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
AMarkaranta						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date <u>071805 & 121505</u> . 5) Notice of Informal Patent Application 6) Other:						
1 apol 140(3)/(Vial) Date <u>07 1000 & 12 1000</u> .						

Application/Control Number: 10/520,499

Art Unit: 3652

DETAILED ACTION

It is unclear if applicants are claiming priority to the United Kingdom application 021604.8 since this application is not mentioned in the oath and a copy is not provided. Clarification is required.

The drawing is objected to under 37CFR1.84(p)(5) as failing to contain all numerals in the disclosure. For example, note numerals 22, 64, 64a and 64b are in the disclosure but not the drawing. The disclosure and drawing should be carefully reviewed and amended to assure the numerals in one appear in the other. The introduction of new matter should be guarded against.

In the specification, page 6, line 21, "26" should be --27--.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Application/Control Number: 10/520,499

Art Unit: 3652

Claims 1, 4-9, 12, 13, 16-18, 23 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pugh in view of Bach, et al.

It would have been obvious to use portioning valves for each actuator to slowly restrict the system in Pugh instead of abruptly stopping the system in view of the teaching in Bach (column 11, lines 1-14).

Regarding claim 16, it is unclear what type of actuators are used in Pugh but double acting cylinders are conventional for controlling movement in both directions and thus their use in Pugh would have been obvious.

Regarding claim 17, the use of transducers in lieu of the sensors in Pugh would have been an obvious substitution of equivalents.

Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pugh in view of Bach, et al. as applied to claim 18 above, and further in view of Meyer, et al.

It would have been obvious to provide a load leveling arrangement in Pugh as modified by Bach to prevent the load from tipping in view of the teaching in Meyer (figure 6).

Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pugh in view of Bach, et al. as applied to claim 1 above, and further in view of Wacht, et al.

It would have been obvious to provide for transient changes in the controller of Pugh as modified by Bach in view of the teaching in Wacht, column 5, lines 15-21.

į

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Underwood whose telephone number is 571-272-6933. The examiner can normally be reached on Mon-Thursday 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saul Rodriguez can be reached on 571-272-7097. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> idented lunderwood 07/17/07 Donald Underwood **Primary Examiner** Art Unit 3652

Page 4

071707